



IMPORTANT: PLEASE READ INSTRUCTIONS COMPLETELY BEFORE USE.
KEEP INSTRUCTIONS FOR FUTURE USE.

- Check to ensure all buckles, snaps, straps, and adjustments are secure before each use.
- Check for ripped seams, torn straps or fabric, and damaged fasteners before each use.
- Ensure proper placement of child, including leg placement.
- Premature infants, infants with respiratory problems, and those under four months have the greatest risk of suffocation.
- Never use when balance or mobility is impaired because of exercise, drowsiness, or medical conditions.
- Never use while cooking or cleaning that involve a heat source or chemicals.
- Never use while driving or being a passenger in a motor vehicle.

Action Baby Carriers
Manufactured by AGCC Inc.
Made in the USA

ActionBabyCarriers.com
EN 13209-2:2005

⚠ WARNING FALL AND SUFFOCATION HAZARD

FALL HAZARD

- Infants can fall through a wide leg opening or out of carrier
- Adjust leg openings to fit snugly
- Before each use make sure all buckles are secure
- Take care when leaning/walking
- Never bend at waist, bend at knees
- Only use this carrier for children 8-40lbs

SUFFOCATION HAZARD

- Infants under 4 months can suffocate if product is pressed too tight against your body
- Do not strap infant too tight against your body
- Allow room for head movement
- Keep infant's face free from obstructions at all times

FRONT CARRY



Secure the waist belt with the buckle behind you and adjust the straps until snug.



Holding the baby facing towards you with one arm, lift the carrier behind the baby's back.



While still holding your baby with one arm, place one strap over your shoulder and fasten it to the opposite side of the carrier.



Still holding your baby, attach the second strap to the side of the carrier so the straps cross behind your back. Adjust the straps until snug.

Action Baby Carriers
Manufactured by AGCC Inc.
Made in the USA

ActionBabyCarriers.com
EN 13209-2:2005

BACK CARRY



Secure the waist belt with the buckle in front of you and the carrier behind you. Adjust the straps until snug.



Holding your baby with one arm, reach down and lift up the carrier.



Lift straight up on both straps to make sure your baby is seated all the way down and secure.



Fasten both straps to the buckles on the side of the carrier. Fasten the chest strap. Adjust all of the straps until snug.

Action Baby Carriers
Manufactured by AGCC Inc.
Made in the USA

ActionBabyCarriers.com
EN 13209-2:2005